



**KEYTON**

**M70L EV VAN  
MAXIMIZE YOUR BUSINESS**






**Your partner for sustainable transport**



252km+ range and fast charging



The CATL battery pack is safe and efficient



85% high strength steel framet



5.2m<sup>3</sup> large loading space

**Our product has successfully obtained the WVTA certification and fully complies with the ECE collision safety regulations.**



Nice interior experience



High quality seat:  
good support, anti-slip design



Dual airbag




Knob-type gear shift




Electric lifting



Safety guarantee




Electronic stability control (ESC)



Reversing radar and image

Model		M70L EV
Dimensions	Overall dim.(mm)	4525×1610×1900
	Cargo compartment dim. (mm)	2668×1457×1340
	Wheelbase (mm)	3050
	Front/rear wheel track (mm)	1386/1408
Capability	Curb weight (kg)	1390
	GVW (kg)	2510
	Payload (kg)	1120
Power parameter	Driving range (km)	252(WLTP)
	Maximum speed (km/h)	90
Battery	Battery energy (kWh)	41.86
	Fast charging time	30Min (SOC30%-80%,25°C)
	Battery type	LFP
	Battery heating	●
Driving Motor	Rated/peak power (kW)	30/60
	Rated/peak torque (N·m)	90/220
	Type	PMSM
Passability	Minimum ground clearance (mm)	125
	Front/rear overhang (mm)	580/895
	Maximum gradability (%)	24.3
	Minimum turning diameter (m)	11.9
Chassis and braking system	Front suspension	Macpherson independent suspension
	Rear suspension	Leaf spring non-independent suspension
	Tyres (F/R)	175/70R14C
	Brake type	Front disc and rear drum hydraulic braking system
Safety	Driver airbag	●
	Seating	2-seater
	Passenger airbag	○
	ABS+EBD	●
	ESC	○
Others	Rudder	RHD
	colors	Candy white
	Reversing radar	●
	TPMS	○
	Central control screen and reversing image	○
	Charging standard	CHAdcMO+SAEJ1772 (DC+AC) or CCS2 (DC+AC)



●:Standard equipment ○:Optional equipment —: Not equipped



**KEYTON**



# M70L EV

## PURE ELECTRIC VAN

SOLD AND SERVICED EXCLUSIVELY  
BY



**GAVINRO**  
INTERNATIONAL

415, THIMBIRIGASYAYA ROAD,  
COLOMBO 05, SRI LANKA

077 844 8844